# Smart Intercom Catalogue

# Akuvox









# Open A Smart World



Akuvox










10/F, No.56 Guanri Road, Software Park II , Xiamen 361009, China Tel: +86-592-2133061 Ext: 7694/8162 Fax: +86-592-2133061 Email: sales@akuvox.com Web: www.akuvox.com

Akuvox and identifying product names and numbers herein are registered trademarks of AKUVOX (XIAMEN) NETWORKS CO., LTD. All non-Akuvox brands and product names are trademarks or registered trademarks of their respective companies. Product appearance, build status, and/or specifications are subject to change without notice. Copyright AKUVOX (XIAMEN) NETWORKS CO., LTD. All rights reserved.

### **CONTENTS**

The Company —	<b>— 01</b>	Smart Intercom Solutions —	21
Global Leading Innovator of Smart Intercom		Residential	
• Part of a \$1.6-Billion International Group		Commercial	
		Assisted Care & Hospital	
		Public Space	
Pioneer of Smart Intercom	<b>— 02</b>		
<ul><li>Why Smart Intercom</li><li>Smart Intercom Technologies</li></ul>		Accessories	29
Smart Intercom Products	<b>— 07</b>	Overview of Mounting Accessories	
	01	Selection Guide —————	31
• Doorphone		<ul> <li>Overview of Key Product Features</li> </ul>	
Indoor Monitor		• Overview of Ney Froduct Features	
Android IP Video Phone			
<ul> <li>Software</li> </ul>			




### **Global Leading Innovator of Smart Intercom**

Akuvox is a global leading provider of Smart Intercom products and solutions. We are committed to unleashing the power of technologies to improve people's lives with better communication, greater security and more convenience.


### **Part of Star-net**

Akuvox is part of Star-net, a \$1.6-billion international group which is a leading ICT solution provider in China.









### **Pioneer of Smart Intercom**

Encompassing Artificial Intelligence, Cloud, Android, SIP, Security and other advanced technologies, Akuvox continuously drives breakthrough changes in the industry, and creatively delivers an unrivaled portfolio of smart intercom products and solutions, allowing more people to take advantage of smart living easily.



Communication

Security Convenience














# **Smart Intercom Technologies-Al**

### **Leading AI Technologies**



#### Facial recognition door entry

Your face is your identity. The underlying anti-spoofing liveness detection algorithm makes it hard to be fooled by photos or videos.



#### Offline voice control

Use your voice to control indoor monitors. The voice data are processed directly on the device, which is faster and securer compared with an online method.



#### **Fall detection**

Exploring the synergy of image recognition technique and neural network machine learning, Akuvox empowers intercoms to increase in-home safety for older people.



# **Smart Intercom Technologies-Cloud**

### **Smart Intercom as a Service (SlaaS)**

#### Easy-to-use intercom app for end users

- Video calling and remote door unlocking
- Video preview and live view
- Issue time-limited QR code keys and guest PINs
- Door unlocking via Bluetooth
- Offline push notification



#### **Productivity boost for property managers**

- Manage all properties centrally and remotely from a web browser, for example creating new app accounts for residents
- Access to time-and-date stamped photos of all door entries
- Assign time-limited PINs to delivery people



# **Smart Intercom Technologies-Android**

### **Home Automation Integration**

The openness of Android enables Akuvox indoor monitors to integrate an application for automated home control. With only one screen, homeowners can enjoy both home automation services and intercom features.

The easy-to-navigate Android UI offers great user experience. It is also open to deep customization to meet diverse requirements.

Akuvox smart intercom has been proven to be fully interoperable with top home automation brands, including Control4, Zipato, RTI, iRidium, Core and LifeSmart. The list is ongoing.






# **Smart Intercom Technologies-SIP & Security**

#### **Better Communication**


Akuvox intercom is based on SIP, a universal IP communication protocol, allowing to build a large communication system.

- Premium audio and video quality
- Communication between any SIP-supporting systems
- Work with mobile phones and landlines



#### **Greater Security**

Smart intercom is able to not only connect with various alarm sensors like smoke detectors for greater home security, but also communicate and interact intelligently with common security systems including video surveillance, VMS and building alarm systems.



## Welcome to Smart Intercom Family




### **Akuvox R29C**

#### **World's First Facial Recognition Android Doorphone**

- 7" capacitive touch screen supporting glove mode
- Aluminum panel
- Dual camera: one 120° wide-angle 3MP camera with IR and an auxiliary
   5MP camera
- Support multiple access control methods: facial recognition, NFC,
   13.56MHz and 125kHz access cards
- Anti-cold version (-40 °C to 55 °C) available
- Support plasterboard installation







For in-wall mounting
















### **Akuvox R28A**

#### **SIP Video Doorphone with Numeric Keypad**

- 4.3 " color TFT LCD
- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- Anti-cold (-40 °C to 55 °C)







For in-wall mounting







### **Akuvox R26B**

### **SIP Video Doorphone with Access Control**

- Premium audio and video quality
- Aluminum panel
- Five buttons with name plate
- 116° wide-angle 2MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards



For on-wall mounting













#### **Akuvox R27A**

#### SIP Video Doorphone with Numeric Keypad

- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- Anti-cold version (-40 °C to 55 °C) available











#### **Akuvox R26C**

#### **SIP Video Doorphone with Access Control**

- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting
- Support NFC, 13.56MHz access cards











### **Akuvox R26P**

#### **SIP Video Doorphone**

- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting



### **Akuvox R20A**

#### **Compact SIP Video Doorphone**

- Premium audio and video quality
- 120° wide-angle 3MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards
- Ideal for environments with limited space



















### **Akuvox R23C**

#### **SIP Doorphone with Access Control**

- Premium audio quality
- Aluminum panel
- Support NFC, 13.56MHz access cards





### **Akuvox R23P**

#### **Simplest SIP Doorphone**

- Premium audio quality
- Aluminum panel









### **Akuvox E21V**

#### **SIP Video Emergency Intercom**

- Vandal-resistant with 316 grade stainless steel body
- Premium audio and video quality
- 116° wide-angle 2MP camera with automatic lighting





### **Akuvox E21A**

#### **SIP Emergency Intercom**

- Vandal-resistant with 316 grade stainless steel body
- IK10 rating
- Premium audio quality








# Akuvox X916

#### **World's First Android Doorphone with Starlight Camera**

- 13 " capacitive touch screen
- 316 grade stainless steel panel
- Dual camera
- Dual-microphone for noise reduction
- Support multiple access control methods: facial recognition, NFC,
   13.56MHz and 125kHz access cards







For in-wall mounting













#### **Compact SIP Video Doorphone with Numeric Keypad**

- Premium audio and video quality
- 120° wide-angle 3MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards
- Ideal for environments with limited space





For on-wall mounting



For in-wall mounting















### **Compact SIP Video Doorphone**

- Premium audio and video quality
- 116° wide-angle 2MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards
- Ideal for environments with limited space



For on-wall mounting







### **Indoor Monitor**

### Akuvox IT83 / Akuvox C317

#### **Android Indoor Monitor for Smart Home Solution**

- 10" touch screen with 1280 x 800 resolution
- 8 channel inputs and 2 embedded relays
- Support 3rd-party apps
- Optional 1MP camera
- Built-in SIP PBX function
- Desktop mount available







Optional desktop stand







### **Indoor Monitor**



### **Akuvox C312A**

#### **Touchscreen Audio Indoor Monitor**

- Touchscreen numerical keypad
- 2.23" OLED display
- Built-in Wi-Fi (2.4GHz, IEEE802.11 b/g/n)
- Built-in Bluetooth V4.2(HS)
- Doorbell button support
- Magnetic bracket installation



For on-wall mounting



#### **Indoor Monitor**



### **Akuvox IT82**



#### **Android Indoor Monitor for Smart Home Solution**

- 7" touch screen with 1024 x 600 resolution
- 5 programmable pushbuttons
- 8 channel inputs and 1 embedded relay
- Support 3rd-party apps
- Optional 1MP camera
- Optional RF 433/869 application





Disclaimer: Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



### **Akuvox C315**

#### Android Indoor Monitor for Smart Home Solution

- 7" touch screen with 1024 x 600 resolution
- 8 channel inputs and 1 embedded relay
- Support 3rd-party apps
- White color housing available
- Optional RF 433/869 application





### **Akuvox C313**

#### **Budget-friendly Indoor Monitor**

- 7" touch screen with 800 x 480 resolution
- 8 channel inputs and 1 embedded relay
- White color housing available

PoE

• Optional RF 433/869 application



### **Android IP Video Phone**



### **Akuvox R48G**

#### **Android IP Video Phone**

- 7" touch screen with 1024 x 600 resolution
- Premium audio and video quality
- DTMF for remote door opening
- 2MP camera with privacy shutter
- Built-in Bluetooth, USB and Wi-Fi
- Support 3rd-party apps





#### Software



#### **Akuvox SmartPlus**

#### **Cloud-based Intercom App**

- Video calling and remote door unlocking
- Video preview and live view
- Issue time-limited QR code keys and guest PINs
- Door unlocking via Bluetooth
- Offline push notification



#### **Akuvox Vfone**

#### **SIP Softphone App for Intercom**

- Audio/video calling
- Remote door unlocking
- Offline push notification
- Compatible with mainstream SIP servers



### **Akuvox SDMC**

### On-premise Software for Community-wide Intercom System Management

- Batch deployment of devices automatically
- Real-time video monitoring
- Access control management
- Messaging and ad pushing



### **Akuvox FacePro**

### PC-based Software for Facial Data Management

- Automatic R29C device search and connection
- Facial image import or facial data capture
- Addition, modification and deletion of facial data for R29C
- Facial data syncing between R29C and the software
- One-click facial data sharing between different R29Cs



### **Akuvox Sight**

### PC-based SIP Softphone for Akuvox Intercom

- Multi-screen video monitoring
- Remote door unlocking
- Audio or video calling with intercom




### **Highlights of Akuvox Smart Intercom Solution**

- Build a large community-wide communication system
- Work with mobile phones and landlines
- Integrate home automation, video surveillance and property management systems
- Control elevator to allow visitors to access the authorized floor only or send an empty elevator to an assigned floor

- App-based features, including video calling, remote door unlocking, alarm push notifications and messages from the property management
- Remote system maintenance via a web browser

### **Solution Overview**






### **Highlights of Akuvox Smart Intercom Solution**

- Flexible door entry options including facial recognition, NFC,
   RF cards and PIN codes
- Integrate access control, telephone, video surveillance and time & attendance systems
- Mobile app for business communication on the go

### **Solution Overview**







### **Highlights of Akuvox Smart Intercom Solution**


- Converge latest technologies, including SIP, Android and AI
- Easy-to-use system specially designed for older people
- 100% transmission of SOS signal to service centers with < 10 seconds SOS signal delay
- Telecare pendant for making emergency calls and unlocking doors remotely via RF
- Connect with various alarm sensors, such as door magnet and smoke detector, for greater home security
- Remote operation and maintenance of a large number of devices
- Easy to upgrade the system with new features

### **Solution Overview**

#### Seek Help in an Emergency








### **Highlights of Akuvox Smart Intercom Solution**

- Premium speech quality in any situation
- Vandal-resistant body with IK10 rating
- Integrate with video surveillance systems
- Direct communication line to alarm centers or security guards on patrol

### **Solution Overview**



### **Accessories**

Model	X916	R29C	R28A	R27A	R26B	R26C	R26P	R23C	R23P	R20A
Image	NEW!					• 	<b>.</b>	(*) (*)		
On-Wall Mounting										
In-Wall Mounting			0:00	0.00						0000
Optional Desktop Stand										

### **Accessories**

R20K	E11R	E21V	E21A	IT83	C317	IT82	C315	C313	C312	R48G
NEW!	NEW!			A A B	2 E	Total Control of the	4 1			
					Ü					
				D	D					

### **Selection Guide**

Model	X916	R29C	R28A	R27A	R26B	R26C	R26P	R23C	R23P	R20A
Image	NEW!				□ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•••• ••• •••	<b></b>	6-1 □ □ .	<u>।</u> य	··· · · · · · · · · · · · · · · · · ·
Display	13"	7"	4.3"	128 x 32 dots	No	No	No	No	No	No
Touch Screen	Yes	Yes	No	No	No	No	No	No	No	No
Front Panel	Stainless steel	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum alloy
PoE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SIP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Operating System	Android	Android	Linux	Linux	Linux	Linux	Linux	Linux	Linux	Linux
Camera	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes
ONVIF	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes
Wi-Fi	No	No	No	No	No	No	No	No	No	No
PIN / Card Entry	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes
Biometric Access	Yes	Yes	No	No	No	No	No	No	No	No
Wiegand	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
IP Rating	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
3rd-party Apps	Yes	Yes	No	No	No	No	No	No	No	No

### **Selection Guide**

R20K         E11R         E21V         E21A         IT83         C317         IT82         C315         C313         C312         R48G           No         No         No         No         10"         10"         7"         7"         7"         2.3"         7"           No         No         No         No         Yes											
No         No         No         No         No         No         Yes	R20K	E11R	E21V	E21A	IT83	C317	IT82	C315	C313	C312	R48G
No No No No No No Yes					20 A A A A A A A A A A A A A A A A A A A		Acces	A P			
Aluminum alloy Plastics Stainless steel Stainless steel Aluminum Plastics Aluminum Plastics Plastics Plastics Plastics Yes	No	No	No	No	10"	10"	7"	7"	7"	2.3"	7"
Yes       Y	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
YesYesYesYesYesYesYesYesYesYesYesYesLinuxLinuxLinuxAndroidAndroidAndroidAndroidLinuxLinuxAndroidYesYesYesNoOptionalOptionalNoNoNoNoYesYesYesYesNoNoNoNoNoOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalYesYesYesNoNoNoNoNoNoYesYesNoNoIP65IP65For indoorFor indoorFor indoorFor indoorFor indoorFor indoor	Aluminum alloy	Plastics	Stainless steel	Stainless steel	Aluminum	Plastics	Aluminum	Plastics	Plastics	Plastics	Plastics
Linux Linux Linux Android Android Android Android Linux Linux Android Yes Yes Yes No Optional Optional Optional No No No No Yes Yes Yes No Optional	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes     Yes     Yes     No     Optional     Optional     Optional     No     No     No     Yes       Yes     Yes     No     -     -     -     -     -     -     -     -     -       No     No     No     No     Optional     Optional <td>Yes</td>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes         Yes         Yes         No         -<	Linux	Linux	Linux	Linux	Android	Android	Android	Android	Linux	Linux	Android
NoNoNoNoOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalOptionalYesYesYesNoNoYesYesNoNoIP65-IP65For indoorFor indoorFor indoorFor indoorFor indoorFor indoorFor indoor	Yes	Yes	Yes	No	Optional	Optional	Optional	No	No	No	Yes
Yes         Yes         No         No         - </td <td>Yes</td> <td>Yes</td> <td>Yes</td> <td>No</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	Yes	Yes	Yes	No	-	-	-	-	-	-	-
No     No     No     No     No     No     - <t< td=""><td>No</td><td>No</td><td>No</td><td>No</td><td>Optional</td><td>Optional</td><td>Optional</td><td>Optional</td><td>Optional</td><td>Optional</td><td>Yes</td></t<>	No	No	No	No	Optional	Optional	Optional	Optional	Optional	Optional	Yes
Yes Yes No No	Yes	Yes	No	No	-	-	-	-	-	-	-
IP65 - IP65 IP65 For indoor	No	No	No	No	-	-	-	-	-	-	-
	Yes	Yes	No	No	-	-	-	-	-	-	-
	IP65	-	IP65	IP65	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor
No No No No Yes Yes Yes No No Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes